


SUPPLEMENT TO



No. 41] NEW DELHI, SATURDAY, NOVEMBER 3, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th October, 1956.

CHOLERA							CHOLERA								
C.		D.		C.		D.		C.		D.		C.		D.	
STATES PART (A) AND PART (C)							Assam—contd.								
Ajmer							(Bstd. mid-year pop. 9,817 thousands.)								
TOTAL							Total for w/e 29-9-56								
(Bstd. mid-year pop. 752 thousands.)							Total for w/e 22-9-56								
Total for w/e 29-9-56							7-yearly mean for the week								
Total for w/e 22-9-56							Bhopal								
7-yearly mean for the week							TOTAL								
Andhra							(Bstd. mid-year pop. 867 thousands.)								
Srikakulam							Total for w/e 29-9-56								
Visakhapatnam							Total for w/e 22-9-56								
Godavari East							7-yearly mean for the week								
Godavari West							Bihar								
Krishna							"N. R."								
Guntur							Bombay								
Nellore							Ahmednager								
Kurnool							East Khandesh								
TOTAL							West Khandesh								
(Bstd. mid-year pop. 21,238 thousands.)							Nasik								
Total for w/e 29-9-56							Sholapur								
Total for w/e 22-9-56							Bijapur								
7-yearly mean for the week							Banaskantha								
Assam							TOTAL								
Nowgong							(Bstd. mid-year pop 39,569 thousands.)								
TOTAL							Total for w/e 29-9-56								
							Total for w/e 22-9-56								
							7-yearly mean for the week								

Explanation of Symbols used : C. = Cases ; D. = Deaths ; .. = Nil ; "N.R."—Information not received

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th October, 1956—contd.

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.		
Coorg								Manipur							
TOTAL	TOTAL
(Estd. mid-year pop. 262 thousands.)								(Estd. mid-year pop. 613 thousands.)							
Total for w/e 29-9-56	Total for w/e 29-9-56
Total for w/e 22-9-56	Total for w/e 22-9-56
7-yearly mean for the week								
Delhi								Orissa							
TOTAL	Cuttack
(Census pop. 1,744 thousands)								Balasore
Total for w/e 29-9-56	Puri
Total for w/e 22-9-56	Sambalpur
7-yearly mean for the week	Ganjam
								Dhenkanal
								Sundergarh
								Kalahandi
								TOTAL	241	161	9	1
								(Estd. mid-year pop. 15,114 thousands.)							
								Total for w/e 29-9-56	149	84	14
								Total for w/e 22-9-56	135	84	10	3
								7-yearly mean for the week	20	11	10	1
								Punjab (I)							
								TOTAL
								(Census pop. 12,641 thousands.)							
								Total for w/e 29-9-56
								Total for w/e 22-9-56
								7-yearly mean for the week
								Pondicherry							
								TOTAL	9	9
								Tripura							
								TOTAL
								(Estd. mid-year pop. 706 thousands.)							
								Total for w/e 29-9-56
								Total for w/e 22-9-56
								Uttar Pradesh							
								Azamgarh
								Bareilly
								Jhansi
								Lucknow
								Selapur
								TOTAL	33	15	2	..	3
								(Estd. mid-year pop. 66,780 thousands.)							
								Total for w/e 29-9-56	34	12	5	3
								Total for w/e 22-9-56	13	3	1	1	1
								7-yearly mean for the week	62	28	1	..	3	1	..

Explanation of Symbols used : C = Cases; D = Deaths; .. = Nil. "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 6th October, 1956—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.		
Vindhya Pradesh								Saurashtra							
"N.R."								TOTAL							
West Bengal								Travancore-Cochin							
Bankura	10	5	1	1	TOTAL	53	7
Howrah	11	4	4	3	Grand total for States
24 Parganas	4	2	..	1	Part (B)	142	54	59	9
Calcutta	7	7	12	11	Grand total for States
Nadia	1	3	Parts (A), (B) & (C)	562	298	287	95	3
Murshidabad	30	15	4	ARREAR INFORMATION							
Malda	3	3	2	2	Hyderabad							
TOTAL	66	39	23	18	for w/e 29-9-56							
(Estd. mid-year pop. 26,396 thousands.)								Hyderabad	3
Total for w/e 29-9-56	54	23	30	20	Aurangabad	..	20	13
Total for w/e 22-9-56	32	14	27	15	Nanded	..	4	4
7-yearly mean for the week	61	26	4	1	Parbhani	..	39	14
Grand Total for (States Parts (A) and C) excluding Bihar, Madhya Pradesh and Vindhya Pradesh,	420	244	228	86	3	Bhir	..	29	15
Corresponding (Estd. mid-year pop. 235,775 thousands)*								Raichpur	..	21	9
Corresponding Total for w/e 29-9-56	283	130	339	99	Nalgonda	1
Corresponding Total for w/e 22-9-56	283	132	292	98	1	TOTAL	113	55	4
Corresponding 7-yearly mean for the week	660	316	162	31	3	1	1	Himachal Pradesh							
STATES PART (B)								for w/e 29-9-56							
Hyderabad								TOTAL
Aurangabad	56	21	West Bengal							
Parbhani	43	20	for w/e 29-9-56							
Bhir	31	11	Bankura	1	3
Raichur	12	2	Hooghly	..	1
Hyderabad	3	Hawrah	..	5	2	11	7
Khammam	1	2	24 Parganas	..	6	2	6	2
TOTAL	142	54	4	2	Calcutta	..	2	2	8	4
Jammu and Kashmir								Nadia	..	2	1
"N.R."								Murshidabad	..	27	13	..	2
Madhya Bharat								Malda	..	11	3	4	2
"N.R."								TOTAL	54	23	30	20
Mysore								Assam							
Mandya	2	for w/e 29-9-56							
TOTAL	2	Kamrup	3
Patiala and East Punjab States Union								Nowgong	..	8	3
TOTAL	TOTAL	8	3	3
Rajasthan															
"N.R."															

Explanation of symbols used. C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

*Excluding Pondicherry.

CHOLERA SMALLPOX PLAGUE								CHOLERA SMALLPOX PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.	
—															

TYPHUS

Place

Period

Cases

Greater Bombay

9-9-56 I (Flea—borne)

POLIOMYELITIS

Information based on patients treated in hospitals in
important towns)

<i>Place</i>	<i>Period</i>	<i>Cases</i>
--------------	---------------	--------------

Uttar Pradesh 1-15 Sept. 56 5 (Paretic)

Delhi 16—29 Sept. 56

Morena	25	9	11	11	11	11
--------	----	---	----	----	----	----

Delhi 16—29 Sept. 56

Nlmar

Punjab 1-15 Sept. 56

TOTAL	.	.	25	9	1
--------------	---	---	----	---	---	----	----	----

Punjab 16--30 Sept, 56

Explanation of symbols used: C—Cases ; D—Deaths ; ..—Nil ; N. R.—Information not received.

The 29th October, 1956.

K. MITRA,
for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES

Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.

**10-YEAR
TREASURY SAVINGS DEPOSIT CERTIFICATES**

3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR NATIONAL PLAN CERTIFICATES

Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.

POST OFFICE SAVINGS BANK ACCOUNTS

2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at $3\frac{1}{2}$ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956

Town	Mid-year Popn. Est. (000)	Deaths from 1—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
STATES - (Parts A and C)															
Ajmer															
Ajmer	223	86	20.1	3	..	3	..	22	5.1	3		
Beawar	59	18	15.9	13	..	5	..	25	22.0	4		
TOTAL	282	104	19.2	16	..	8	..	47	8.7	7		
Andhra															
Adoni	63	49	40.4	4	3	..	14	11.6	3		
Anantpur†	46	19	21.4	2	2	1	..	18	20.3	3		
Anakapalli	36	31	44.8	2	8	11.6	3		
Bhimavaram	43	18	21.8	2	1	6	7.3	1		
Chirala	45	30	34.7	2	..	3	..	13	15.0	3		
Chittoor	42	15	18.6	1	2	2.5	1		
Cuddapah	99	33	17.3	8	2	1	1	30	15.8	6		
Eluru	36	20	28.9	3	1	9	13.0	1		
Gudivada	147	114	40.4	17	5	4	3	91	32.3	21		
Guntur	37	15	21.1	2	1	1	1	8	11.2	1		
Guntakal	113	30	13.8	6	3	2	..	20	9.2	2		
Kakinada	68	60	45.9	1	1	3	..	19	14.5	5		
Kurnool	88	34	20.1	3	16	9.4	4		
Masulipatnam	37	28	39.3	1	1	11	15.5	..		
Nandyal	95	91	49.8	2	3	2	1	30	16.4	12		
Nellore	122	86	36.6	..	1	..	10	2	1	..	30	12.8	11		
Proddatur†	67	49	38.0	1	..	2	..	11	8.5	3		
Tenali	128	80	32.5	..	3	..	9	1	15	..	43	17.5	13		
Vijayavada†	75	33	22.9	4	..	5	1	27	18.7	2		
Vizianagaram	1,387	835	31.3	..	4	..	76	26	43	8	406	15.2	95		
TOTAL															
Assam															
Bhopal															
Bhopal	116	41	18.4	3	2	10	..	25	11.2	..		
Bihar															
Bombay															
Ahmedabad	889	821	48.0	22	19	46	..	313	18.3	101		
Ahmednagar	88	59	34.9	1	11	6.6	5		
Amalner	50	35	36.4	7	..	1	..	12	12.5	..		
Bagalkot	36	30	43.3	1	1	2	..	4	5.8	..		
Baroda	242	213	45.7	19	2	14	1	82	17.6	21		
Barsi	46	55	62.2	3	2	17	19.2	7		
Belgaum	110	29	13.7	2	1	3	..	17	8.0	3		
Bhusawal	62	65	54.5	4	..	2	..	12	10.1	1		
Bijapur	75	40	27.7	1	..	1	..	12	8.3	1		
Broach	67	64	49.5	2	..	3	1	12	9.3	2		
Cambay	41	49	62.2	1	4	..	36	45.7	11		
Chalisgaon	35	23	34.2	7	12	17.8	4		
Dharwar	76	24	16.4	3	16	10.9	..		
Dhulia	89	56	32.7	6	2	1	1	15	8.8	3		
Gadag-Betegeri	71	46	33.7	6	1	1	..	24	17.6	5		
Godra	40	32	41.5	3	24	5.2	..		
Greater Bombay	3,449	2,002	30.2	1	38	102	1	635	9.6	170		
Hubli	148	50	17.6	2	1	12	4.2	3		
Jalgaon	79	145	94.4	3	1	18	11.9	4		
Kalyan	73	26	18.5	1	2	7	5.0	3		
Kolhapur	159	100	32.7	4	1	3	..	28	9.2	7		
Malegaon	63	61	50.3	10	1	2	1	14	11.6	5		
Miraj	44	29	34.3	1	..	3	..	9	10.6	2		
Nadiad†															

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—*contd.*

Town	Mid-year popn-Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Bombay—contd.													
Nandurbar . . .	35	29	43·1	2	1	2	..	8	11·9	1
Nasik . . .	119	86	37·6	1	9	2	4	..	50	21·8	22
Navasari . . .	50	30	31·2	4	7	7·3	1
Pandharpur . . .	44	31	36·6	3	4	4	..	21	24·8	12
Patan . . .	47	48	53·1	2	2	5	..	22	24·3	8
Poona . . .	607	376	32·2	4	5	31	..	131	11·2	34
Sangli . . .	58	38	34·0	3	1	2	..	16	14·3	5
Satara . . .	40	34	44·2	2	..	11	14·3	5
Sholapur . . .	299	271	49·1	29	15	49	..	176	30·6	40
Surat . . .	250	208	43·3	12	1	19	..	91	18·9	38
Thana . . .	61	43	36·7	4	2	4	1	19	16·2	4
TOTAL	7,642	5,248	35·7	2	180	103	312	7	1,874	12·8	528
Delhi State													
Delhi City . . .	1,124	754	34·9	48	10	16	2	141	6·5	47
New Delhi . . .	374	386	53·7	6	7	5	..	125	17·4	35
N.A.C. Civil Station Delhi	117	103	45·8	1	13	5·7	4
Delhi Cantt. . .	50	10	10·4
Delhi-Shahdara . .	53	64	62·4	4	..	1	..	8	7·8	2
TOTAL	1,718	1,317	39·7	59	17	22	2	287	8·7	88
Madhya Pradesh													
"N.R.													
Madras													
Ambur . . .	44	24	28·4	2	..	2	..	6	7·0	1
Aruppukottai . . .	56	44	40·9	1	2	2	1	14	13·0	7
Bodinayakanpur . .	40	10	13·0	5	6·5	..
Cannore . . .	47	16	17·8	..	1	1	..	8	9·0	..
Chidambaram . . .	39	35	46·7	3	..	2	..	14	18·7	5
Coimbatore . . .	234	220	48·9	2	6	11	2	46	10·2	11
Cuddalore . . .	74	45	31·6	..	1	1	2	..	17	11·9	3
Dindigul . . .	90	32	18·4	1	16	9·4	4
Erode . . .	67	51	39·6	1	9	..	16	12·4	2
Gobichetty Palyan .	38	19	26·0	1	..	1	..	8	10·9	3
Guddiyattam . . .	53	34	33·4	1	1	..	9	8·9	1
Kancheepuram . . .	90	52	30·0	4	13	1	33	19·0	7
Karaikudi . . .	44	18	21·2	4	4·7	..
Karur . . .	50	23	23·9	2	1	..	9	9·3	2
Kozhikode . . .	176	137	40·5	2	..	4	1	56	16·5	9
Kumbakonam . . .	105	64	31·7	..	1	1	20	9·9	5
Madras . . .	1,703	825	25·2	..	2	..	33	68	145	3	454	13·9	124
Mangalore . . .	136	53	20·3	1	1	5	..	25	9·6	4
Mathurai . . .	427	355	37·1	6	3	26	1	98	11·9	13
Mayuram†													
Malapalyam . . .	41	6	7·6	2	1	..	8	10·2	3
Nagapattinam . . .	60	45	39·0	14	12·1	4
Ootacamund . . .	47	29	42·2	3	..	9	9·7	2
Palni . . .	40	26	33·8	1	..	4	..	10	13·0	2
Palayamkottai . . .	45	53	61·2	2	..	12	13·9	3
Palghat . . .	77	53	35·8	8	..	25	16·9	3
Periyakulam . . .	34	15	22·9	2	2	..	10	15·2	2
Pollachi . . .	51	21	21·4	3	2	..	18	18·4	..
Pudukottai†													
Rajapalayam . . .	69	26	19·6	2	3	5	..	16	12·0	..
Salem†													
Srirangam . . .	42	16	19·8	1	1	..	5	6·2	1
Srivilliputtur †													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B. = Births; B. R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fever; D. = Dysentery and Diarrhoea; R. D. = Respiratory Diseases; M. D. = Maternal Deaths; D. R. = Death Rate; I. D. = Infant deaths (included in total deaths); .. = Nil information; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—*contd.*

Town	Mid-year Popn, Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Madras—contd.													
Tanjore	118	65	28.6	2	3	2	..	24	10.6	1
Tellicherry	42	38	47.0	1	1	..	16	19.8	..
Tiruvannamalai	45	36	41.6	2	5	..	11	12.7	6
Tirunelveli	80	59	38.4	2	10	..	25	16.3	7
Tiruppur	63	73	60.3	1	2	1	21	17.3	6
Tiruchirappalli	251	133	27.6	4	6	5	1	52	10.8	7
Tuticorin	111	94	44.0	4	13	..	38	17.8	18
Vaniyambadi	43	27	32.7	2	6	7.3	..
Vellore	124	107	44.9	1	2	8	..	41	17.2	6
Villupuram	39	42	56.0	..	1	4	2	..	11	14.7	7
Virudunagar	53	38	37.3	2	3	..	9	8.9	1
TOTAL	4,989	3,019	31.5	..	6	..	61	131	304	11	1,239	12.9	280
Orissa "N.R."													
Pondicherry													
Pondicherry	68	86	57.6	..	1	..	4	5	3	..	19	14.5	14
Punjab (I)													
Ambala	65	65	52.0	3	..	7	..	11	8.7	3
Amritsar	343	253	38.4	2	8	23	2	86	13.0	32
Batala	62	35	29.3	6	3	6	..	26	21.8	9
Bhiwani	57	67	61.3	7	14	12.8	4
Perozepore†	39	45	60.0	1	..	1	..	3	4.0	1
Hissar	39	45	60.0	1	..	1	..	3	4.0	1
Hoshiarpur	51	31	31.6	2	..	8	8.2	2
Jullundur	200	182	47.4	10	7	6	..	34	8.9	13
Karnal	72	70	50.7	6	10	7.3	1
Ludhiana	176	209	62.0	15	..	3	..	32	9.5	12
Moga†	64	35	28.5	2	..	1	..	5	4.1	—
Pathankot	34	40	61.4	3	3	4.5	1
Rewari	36	30	43.3	3	1	6	8.5	2
Rohtak	105	86	42.8	3	5	2.5	1
Simla	50	33	34.5	2	2.1	2
Sonapat	34	33	50.6	4	7	10.7	5
TOTAL	1,388	1,214	45.5	65	19	49	2	252	9.4	88
Uttar Pradesh													
Agra	375	275	38.1	1	11	38	..	81	11.3	19
Allahabad	349	215	32.2	5	22	1	58	8.8	19
Amroha	61	71	60.5	8	3	5	..	30	25.5	11
Bahraich	47	25	27.6	1	..	1	..	3	3.3	..
Banaras	383	412	56.0	52	12	18	..	184	25.0	44
Balla	35	10	14.9	5	7.5	3
Banda†	203	91	23.2	5	4	9	1	27	6.8	6
Bareilly	32	19	30.0	1	3	1	2	..	8	12.1	3
Bijnor	32	19	30.0	1	3	1	2	..	8	12.1	3
Budaun	54	42	40.5	3	1	3	..	15	14.5	6
Basti†	54	42	40.5	3	1	3	..	15	14.5	6
Bulandshahr†	54	42	40.5	3	1	3	..	15	14.5	6
Chandauli	41	41	52.0	3	4	3	..	20	25.4	10
Dehra Dun	146	87	31.0	3	2	3	..	19	6.8	5
Etawah†	146	87	31.0	3	2	3	..	19	6.8	5

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols (used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths (included in total deaths); .. = Nil information.; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—*contd.*

Deaths from :—

Town	Mid.-year Popn.-Est (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Faizabad-Ayodhya . . .	88	40	23·6	1	..	2	..	10	5·7	2
Farrukhabad-Fatehgarh . .	82	65	41·2	7	1	6	..	21	13·2	9
Perozabad	79	62	41·0	9	2	16	10·6	3
Ghaziabad	46	31	35·0	4	7	7·6	3
Gazipur	36	24	34·7	7	12	17·4	4
Gorakhpur	140	117	43·6	6	2	4	..	27	10·0	8
Gonda	35	4	6·0	1	1	1·5	..
Hapur	49	39	41·4	5	1	14	14·7	4
Hardwar	64	44	35·8	10	2	6	..	29	23·6	10
Hathras	62	71	59·8	9	5	5	1	33	27·7	10
Jaunpur	56	35	32·6	3	1	4	..	11	10·3	1
Jhansi	116	127	57·0	22	3	4	..	42	18·8	13
Kanpur	734	460	32·7	127	22	46	7	329	23·4	79
Kasganj	34	10	15·3	3	4	6·1	1
Khurja	41	20	25·5	5	..	2	..	12	15·3	..
Koti-Aligarh	150	72	25·0	2	2	3	..	16	5·6	7
Lucknow	494	319	33·6	21	4	18	..	162	17·1	52
Mathura	110	178	84·5	15	3	7	..	34	16·2	10
Man-Nath Bhanjan†													
Meerut	185	137	38·6	8	3	5	..	23	6·5	9
Mirzapur Vindhyaachal . .	97	47	25·3	4	2	4	..	15	8·0	8
Moradabad	164	194	61·7	10	4	14	..	60	19·0	16
Muzaffarnagar	74	87	61·4	17	1	24	16·8	9
Pilibhit	45	44	51·1	7	1	4	..	16	18·5	4
Rampur†													
Saharanpur	162	99	31·8	21	1	2	1	55	17·6	19
Sambhal	65	67	53·8	4	..	7	..	17	13·6	5
Shahjahanpur	99	48	25·2	14	2	2	..	28	14·7	7
Sitapur	49	28	29·7	3	3	9	9·6	2
TOTAL	5,082	3,757	38·4	1	424	108	249	11	1,477	15·1	421
West Bengal													
Asansol†													
Baldyabati†													
Bally	66	5	4·0	1	0·8	1
Bankura	50	19	19·8	3	3·1	..
Bansberia†													
Baranagar	90	41	23·6	1	1	3	..	14	11·4	5
Basirhat†													
Berhampur	39	7	9·4	1	1	1·3	..
Bhadreshwar	64	58	47·3	2	2	14	11·4	3
Bhadreshwar	34	13	20·0	1	1·5	..
Bhatpara	143	35	12·7	9	..	3	1	30	11·0	13
Budge-Budge	33	11	18·6	1	3	..	6	9·7	..
Burdwan	82	25	15·9	4	1	..	16	10·2	..
Calcutta†													
Champdani	41	18	23·0
Cooch Behar†													
Darjeeling†													
English-Bazar	36
Garden Reach	124	15	6·3	4	..	2	..	11	4·6	5
Halisahar†													
Hooghly-Chinsurah	60	64	55·6	7	1	1	2	15	13·0	..
Howrah	477	215	23·6	2	3	..	5	14	32	..	126	13·8	45

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Disease; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—*contd.*

Deaths from :—														
Town	Mid.-year Popn. Est. (000)	B.	B. R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
West Bengal—contd.														
Jalpaiguri†														
Kamarhati†														
Kanchrapara . . .	74	9	6.4	1	..	1	0.7	1	
Krishnagar . . .	56	1	0.9	..	
Midnapore . . .	45	37	43.0	1	2	1	..	11	12.8	..	
Nabadwip†														
Naihati . . .	62	13	11.0	
North Barrackpore	36	6	8.7	1	1.5	..	
Panihati†														
Shantipur†														
Serampore . . .	83	55	34.6	2	2	1	..	12	7.6	5	
Siliguri†														
South Dum Dum	83	
South Suburban . .	124	59	24.9	4	8	..	17	7.2	3	
Titagarh . . .	78	35	23.5	13	1	2	..	16	10.7	3	
TOTAL . . .	1,979	740	19.4	2	3	..	38	32	58	4	297	7.8	84	
STATES (Part B)														
Hyderabad														
Aurangabad . . .	73	12	8.5	1	..	3	2.1	—	
Idar†														
Gulberga . . .	90	7	4.0	1	1	2	1.2	..	
Hyderabad City . .	1,057	328	16.1	29	8	9	1	147	7.2	8	
Jalna†														
Kothagudiam†														
Latur . . .	41	2	1	3	3.8	..	
Nanded . . .	80	29	18.9	2	7	4.6	..	
Nizambad†														
Parbhani . . .	40	7	9.1	1	2	3	—	8	10.0	2	
Raichur†														
Secunderabad City . .	162	158	30.7	6	..	8	..	47	15.1	10	
Warangal . . .	155	36	12.1	10	..	1	—	17	5.7	..	
TOTAL . . .	1,698	577	17.7	51	12	22	1	234	7.2	20	
Jammu & Kashmir														
"N.R."														
Madhya Bharat														
"N.R."														
Mysore														
Bhadravati†														
Bangalore . . .	977	161	8.6	9	5	8	..	59	3.1	1	
Mysore . . .	294	135	23.9	
Kolar Gold Field . .	173	102	30.7	2	4	..	23	6.9	1	
Bellary . . .	78	24	16.0	1	..	3	..	27	18.0	5	
Davangere . . .	69	22	16.6	1	7	5.3	1	
Hospet . . .	45	25	28.9	1	..	1	..	12	13.9	..	
Shimoga . . .	57	25	22.8	2	3	2.7	1	
TOTAL	1,693	494	15.2	13	8	16	..	131	4.0	9	
PEPSU														
Patiala City . . .	111	65	30.5	15	1	2	..	35	16.4	17	
Malerkotla . . .	34	28	42.8	3	..	1	..	4	6.1	1	
Bhatinda . . .	39	30	40.0	1	2	2.7	2	
TOTAL	184	123	34.8	19	1	3	..	41	11.6	20	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; .. =Nil Information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—*contd*

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	Deaths from							Total	D.R.*	I.E.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Rajasthan													
Alwar†													
Bharatpur	38	8	10.9	1	3	4.1	1
Bikaner	117	30	13.3	4	3	4	..	22	9.7	1
Churu	48	1	1.1
Ganganagar†													
Tonk	45	4	4.6	1	4	4.6	..
Kotah	72	23	16.6	6	10	7.2	..
Sikar†													
Jaipur	353	79	11.5	29	2	7	..	98	14.5	27
Udaipur †													
Jodhpur	200	89	23.1	..	1	..	14	..	4	..	24	6.2	..
TOTAL	873	234	13.9	..	1	..	54	6	15	..	161	9.6	29
Travancore-Cochin													
Alleppey	148	32	11.2	2	1	..	10	3.5	..
Changanacherry	41	18	22.8	1	3	3.8	..
Ernakulam	70	42	33.6	1	12	8.9	..
Kottayam†													
Mattanchery	85	78	47.7	1	2	5	..	18	11.0	1
Nagercoil	94	19	10.5	1	3	1	..	12	6.6	2
Quilon	75	91	63.1	..	1	1	..	8	5.6	..
Trichur	76	58	39.7	11	7.5	..
Trivandrum City	218	177	42.2	..	1	..	3	..	1	..	18	4.3	..
TOTAL	807	515	33.2	..	2	..	7	7	9	..	92	5.9	3
Saurashtra													
Bhavnagar	157	72	23.8	4	3	12	..	32	10.6	5
Dhoraji	47	26	28.8	3	7	7.7	..
Gondal	41	27	34.2	2	2	6	7.6	..
Jamnagar	122	25	10.7	7	..	7	..	23	9.8	7
Junagadh	65	49	39.2	8	3	5	..	28	22.4	8
Morvi	43	24	39.0	1	1	3	..	5	6.0	1
Porbandar	64	31	25.2	10	1	1	..	18	14.6	8
Rajkot	167	75	23.3	17	1	5	1	53	16.5	29
Surendranagar†													
Veraval	46	7	7.9	2	..	1	..	4	4.5	1
TOTAL	752	336	23.2	54	11	34	1	176	12.2	59
ARREAR-RETURNS													
Madhya Pradesh													
For w/e 29-9-56													
Akola	104	80	40.0	7	1	2	..	23	11.5	6
Amravati†													
Bilaspur	40	31	40.3	6	..	3	2	17	22.1	2
Burhanpur	79	73	48.1	8	..	2	..	21	13.8	..
Chanda†													
Chindwara	31	33	55.3	1	2	7	11.7	..
Damoh	42	46	57.0	5	3	13	16.1	..
Khandwa	59	30	26.4	1	1	11	9.7	..
Khangaon	42	26	32.2	2	5	24	29.7	..
Kamptee †													
Murwar†													
Itarsi	30	22	38.1	3	2	3	5.2	2
Nagpur†													
Sagar	75	42	29.1	2	7	4.9	..
Raipur†													
Raigarh	35	20	29.7	4	4	2	..	11	16.3	3
Wardha†													
Yeotmal	41	37	46.9	5	2	13	16.5	5
TOTAL	578	440	39.6	44	12	9	6	150	13.5	18

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil Information; "N.R." Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—*contd.*

Deaths from —

Towns	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<i>For w/e 22-9-56</i>													
Madhya Pradesh—<i>contd.</i>													
Nagpur . . .	528	269	26.5	36	3	9	..	110	10.8	..
Kamptee . . .	36	34	49.1	5	7.2	..
Chhindwara . . .	31	30	50.3	5	3	12	20.1	4
<i>For w/e 15-9-56</i>													
Nagpur . . .	528	285	28.1	32	3	16	..	122	12.0	5
Kamptee . . .	36	24	34.7	15	21.7	..
Chhindwara . . .	31	37	62.1	1	1	14	23.5	4
<i>For w/e 8-9-56</i>													
Chhindwara . . .	31	11	18.5	2	2	19	31.9	6
Damoh . . .	42	48	59.4	1	6	7.4	..
<i>For w/e 29-9-56</i>													
Hyderabad													
Aurangabad . . .	73	12	8.5	2	..	2	1.4	..
Bidar . . .	37	6	8.5	2	..	5	..	7	9.8	1
Gulberga . . .	90	29	16.7	6	..	2	..	10	5.7	..
Hyderabad City . . .	1057	751	36.9	27	2	42	..	122	6.0	30
Jalna† . . .	71	32	24.3	4	3.0	..
Kothagudiam . . .	71	32	24.3	4	3.0	..
Latur . . .	41	1	1.3	1	..	2	..	3	3.8	..
Nanded . . .	80	18	11.7	2	7	4.5	..
Nizambad† . . .	80	18	11.7	2	7	4.5	..
Parbhani . . .	40	9	11.7	1	1	3	..	5	6.5	1
Raichur† . . .	40	9	11.7	1	1	3	..	5	6.5	1
Secunderabad City . . .	162	105	33.7	1	2	7	..	48	15.4	17
Warangal . . .	155	32	10.7	5	..	1	..	9	3.0	..
TOTAL . . .	1,806	995	28.6	43	7	64	..	217	6.2	49
<i>For w/e 22-9-56</i>													
Aurangabad . . .	73	16	11.4	1	2	2	4.3	1
Bidar . . .	37	11	15.5	7	..	1	..	8	11.2	2
Gulberga . . .	90	21	12.1	3	6	3.5	..
Hyderabad City . . .	1057	96	4.7	19	1	5	..	88	4.3	4
Latur . . .	41	3	3.8	1	1	..	2	2.5	..
Nanded . . .	80	27	17.6	1	11	7.2	1
Parbhani . . .	40	10	13.0	3	..	2	..	7	9.1	2
Secunderabad City . . .	162	158	50.7	6	3	8	..	37	11.9	11
Warangal . . .	155	37	12.4	4	7	2.3	..
TOTAL . . .	1,735	379	11.4	42	5	18	3	168	5.0	21
<i>For w/e 25-8-56</i>													
Aurangabad . . .	73	5	3.6	1	..	2	..	6	4.3	1
Bidar . . .	37	1	1.4	1	1	4	1	7	8.1	..
Gulberga . . .	90	7	4.0	4	3	1	1	10	5.8	..
Hyderabad City . . .	1057	817	40.2	..	1	..	22	8	18	..	139	6.8	18
Jalna † . . .	71	32	24.3	4	3.0	..
Kothagudiam † . . .	71	32	24.3	4	3.0	..
Latur . . .	41	1	1.2	1	1	4	1	7	8.1	..
Nanded . . .	80	47	30.6	2	6	3.9	1
Nizambad . . .	67	15	11.6	2	..	1	..	6	4.6	3
Parbhani † . . .	40	9	11.7	1	1	3	..	5	6.5	1
Raichur † . . .	40	9	11.7	1	1	3	..	5	6.5	1
Secunderabad City . . .	162	168	54.0	4	8	..	45	14.4	19
Warangal . . .	155	29	9.7	3	..	1	..	16	5.4	..
TOTAL . . .	1,762	1090	32.2	..	1	..	36	17	39	3	242	7.1	42

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—*contd.*

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	Deaths from :—						Total	D.R.*	I.D.	
					S.	P.	F.	D.D.	R.D.	M.D.				
Hyderabad		For w/e 9-6-56												
Aurangabad . . .	73	9	6.4	1	0.7	..
Bidar . . .	37	10	14.5	2	..	1	..	3	4.2
Gulberga . . .	90	2	1.1	2	2	1.1
Hyderabad City	1057	533	26.2	..	4	..	28	1	3	..	102	5.0	10	..
Jalna†														
Kothagudiam . .	71	64	46.9	5	3.7
Latur . . .	41	1	1.2
Nanded . . .	80	23	14.9	4	5	3.2	1	..
Nizambad . . .	67	14	10.9	1	4	3.1	3	..
Parbhani†														
Raichur†														
Secunderabad.	162	149	47.8	6	4	7	..	47	15.1	7	..
Warangal†														
TOTAL . . .	1,678	804	24.9	..	4	..	43	5	11	..	170	5.3	21	..
Jammu & Kashmir		For w/e 7-7-56												
Srinagar . . .	242	123	26.4	1	..	10	..	26	5.5	1	..
		For w/e 14-7-56												
Srinagar . . .	242	123	26.4	3	2	6	1	19	4.0	5	..
		For w/e 21-7-56												
Srinagar . . .	242	104	22.3	3	..	3	1	21	4.5	5	..
		For w/e 28-7-56												
Srinagar . . .	242	97	20.8	3	..	2	1	19	4.0	4	..
		For w/e 18-8-56												
Jammu . . .	69	63	47.5	7	2	1	..	10	7.5
		For w/e 25-8-56												
Jammu . . .	69	65	48.9	7	3	3	..	22	16.6
Assam		For w/e 29-9-56												
Shillong†														
Gauhati . . .	51	15	15.3	3	5	5.1	1	..
Dibrugarh . . .	46	1	1.1
Silchar . . .	43	7	8.4	1	5	5.9	2	..
TOTAL . . .	140	23	8.5	3	1	10	3.7	3	..
		For w/e 22-9-56												
Gauhati . . .	51	23	23.5	1	2	17	17.3	3	..
Punjab		For w/e 29-9-56												
Sonepat . . .	34	31	47.6	4	6	9.2	2	..
Rohtak . . .	105	59	29.3	3	2	1	..	14	7.0	2	..
Simla . . .	50	24	25.0	1	..	7	7.2	4	..
Tirrvancore-Cochin		For w/e 29-9-56												
Mattancherry . .	85	75	45.9	1	..	3	..	19	11.6	2	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (Included in total deaths) ; — = Nil information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—*contd.*

Town	Mid-year Popn-Est. (000)	Deaths from :—											D.R.*	I.D
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Orissa														
For w/e 29-9-56														
Berhampur	72	30	21.7	3	4	14	10.1	4	
Cuttack	117	140	62.4	8	9	11	7	1	65	29.0	10	
Puri	53	35	34.4	11	3	1	..	28	27.6	4	
TOTAL	242	205	44.1	8	23	18	8	1	107	23.0	18	
West Bengal														
For w/e 29-9-56														
Asansol† Baidyabiti† Bally	66	12	9.4	
Bankura† Bansberia† Baranagar	90	51	29.4	2	6	..	20	11.6	4	
Basirhat	39	7	9.4	1	1.3	..	
Berhampur	64	55	44.7	..	2	..	1	17	13.9	2	
Bhadreshwar	34	7	10.7	1	..	4	6.2	2	
Bhatpara	143	26	9.4	6	..	6	1	28	10.2	8	
Budge Budge	32	6	9.6	2	1	..	6	9.6	..	
Burdwan	82	17	10.7	4	..	11	7.0	..	
Calcutta	2,984	1,546	27.0	2	4	..	22	41	136	3	568	10.0	194	
Champadani	41	16	20.3	2	..	4	5.1	..	
Cooch Bihar†														
Darjeeling† English Bazar Garden Reach	36 124	1 15	1.5 6.3	3	2	1	
Halishat† Hoogly-Chinsurah. Howrah	60 447	68 168	59.2 18.4	2 6	2 19	..	1	8 126	7.0 13.8	2 51	
Jalpaiguri† Kamarhati† Kanchrapura	74	13	9.2	1	0.7	1	
Krishnagar	56	
Midnapore	45	31	36.0	7	8.1	..	
Nabadwip†														
Naihati† North Barrackpore† Panhati	65	2	1.6	1	0.8	..	
Shantipur	49	22	23.5	2	2.1	1	
Serampore	83	43	27.1	1	2	4	..	25	15.7	12	
Siliguri	44	19	22.6	1	..	4	4.8	..	
South Dum Dum South Suburban	83 124	.. 29	.. 12.2 1	.. 4	.. 4 13	.. 5.5	.. 4	
Titagarh†														
TOTAL	4,895	2,154	22.9	4	11	..	42	74	197	5	856	9.1	285	
Saurashtra														
For w/e 29-9-56														
Bhavnagar	157	115	38.1	13	..	3	..	38	12.6	14	
Dhoraji	47	43	47.6	4	..	3	..	13	14.4	5	
Gondal	41	26	33.0	2	1	2	..	13	16.5	5	
Jamnagar	122	20	8.5	4	1	5	..	14	6.0	5	
Junagadh	65	48	34.4	12	2	3	..	21	16.8	5	
Morvi	43	24	29.0	4	1	1	..	6	7.3	3	
Porbander	64	43	35.0	10	1	20	16.3	12	
Rajkot	167	97	30.0	15	1	3	..	54	16.8	23	
Surendranagar†														
Veraval	46	8	9.0	6	..	3	..	10	11.3	2	
TOTAL	752	424	29.3	70	7	23	..	189	13.1	74	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B. R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D. D. = Dysentery and Diarrhoea ; R. D. = Respiratory Diseases ; M. D. = Maternal Deaths ; D. R. = Death Rates ; I. D. = Infantile Deaths (included in total deaths) ; .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from:—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madhya Bharat				For w/e 29-9-56										
Greater Gwalior	273	153	29.1	4	4	1	..	30	5.7	7	
Indore†				2	3	10	7.1	..	
Ujjain†				6	4	1	3	40	6.0	7	
Ratlam	73	31	22.1	2	3	10	7.1	..	
TOTAL	346	184	27.7	6	4	1	3	40	6.0	7	
				For w/e 22-9-56										
Greater Gwalior	273	194	36.9	2	1	1	..	10	1.9	2	
Indore	368	245	34.6	6	1	7	1	76	10.7	34	
Ujjain	156	50	16.7	15	2	..	1	35	11.7	12	
Ratlam	73	22	15.6	9	1	4	..	23	16.4	..	
Mandsaur	41	4	5.1	1	1	1.3	..	
TOTAL	911	515	29.4	33	5	12	2	145	8.3	48	
				For w/e 8-9-56										
Greater Gwalior	273	145	27.7	11	4	8	1	78	14.9	32	
Indore†				12	3	38	12.7	17	
Ujjain	156	60	20.0	12	3	38	12.7	17	
Mandsaur	41	8	10.1	2	1	4	5.1	1	
TOTAL	470	213	23.6	25	7	8	2	120	13.3	50	
Rajasthan				For w/e 29-9-56										
Alwar	60	6	5.2	2	..	2	1.7	..	
Churu	48	9	9.8	3	3	3.2	..	
Ganganagar	47	6	17	18.7	..	
Kotah	72	10	7.2	8	16	11.6	2	
				For w/e 12-5-56										
Alwar	60	32	27.7	2	..	3	..	9	7.8	2	
Bharatpur	38	36	49.3	5	6	8.2	4	
Bikaner	117	40	17.8	..	2	..	5	1	6	..	20	8.9	2	
Churu	48	1	1.1	
Ganganagar	47	4	..	3	1	2	..	13	14.5	..	
Tonk	45	2	2.3	5	..	4	..	10	11.6	..	
Kotah	72	10	7.2	8	10	7.2	5	
Sikar†				25	2	17	..	69	10.2	31	
Jaipur	353	40	5.7	25	2	17	..	69	10.2	31	
Udaipur	106	20	9.8	1	4	1	8	3.9	2	
Jodhpur	200	41	10.7	11	3	5	..	39	10.1	6	
TOTAL	1,086	222	10.6	..	6	..	64	8	41	1	184	8.8	52	
				For w/e 10-3-56										
Alwar	60	18	15.6	1	..	4	3.5	..	
Bharatpur	38	9	12.1	..	1	1	1.4	1	
Bikaner	117	50	22.2	..	4	..	5	4	16	..	47	20.9	2	
Churu	48	5	5.4	
Ganganagar	47	4	..	1	..	1	1	8	8.8	..	
Tonk	45	3	3.5	2	..	3	3.5	..	
Kotah	72	10	7.2	1	..	1	0.7	..	
Sikar†				13	3	19	..	60	8.8	16	
Jaipur	353	38	5.6	13	3	19	..	60	8.8	16	
Udaipur	106	18	8.8	..	1	4	..	8	3.9	1	
Jodhpur	200	77	20.0	11	..	4	..	26	6.8	4	
TOTAL	1,086	228	10.9	..	10	..	30	7	48	1	158	7.6	24	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th October, 1956—concl'd.

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from —								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Rajasthan				For w/e 3-3-56										
Alwar . . .	60	37	32.1	7	6.1	..
Bharatpur . . .	38	10	13.6	1	2	1	4	5.5	..
Bikaner . . .	47	100	44.4	..	3	..	3	1	13	1	..	43	19.1	15
Churu . . .	48	2	2.2	2	4	4.4	..
Ganganagar . . .	47	2	2.2	..	1	..	2	1	..	1	..	7	7.7	..
Tonk . . .	45	5	5.8	..	1	5	5.8	..
Kotah . . .	72	18	13.0	1	1	1	8	5.9	2
Sikar†	20	4	19	1	..	76	11.2	18
Jaipur . . .	353	75	11.0
Udaipur . . .	106	24	11.8	1	..	5	10	4.9	..
Jodhpur . . .	200	55	14.3	9	5	5	29	7.5	15
TOTAL	1086	328	15.7	..	5	..	39	14	44	3	..	193	2.2	40
Uttar Pradesh				For w/e 5-11-55										
Bulandshahr . . .	41	18	22.9	6	6	7.6	1
Allahabad . . .	342	275	41.9	1	1	32	65	9.9	16
Bijnor . . .	31	26	43.7	1	2	5	10	16.8	3
Etawah . . .	63	55	45.5	8	..	5	19	15.7	6
Hardwar . . .	63	50	41.4	10	..	4	23	19.0	11
Lucknow . . .	485	497	53.4	18	6	21	86	9.2	34
Mirzapur . . .	95	93	51.0	8	2	1	14	7.7	4
Rampur . . .	154	5	1.7	1	7	2.4	1
Shahjahanpur . . .	99	105	55.3	12	2	2	28	14.7	6
				For w/e 12-11-55										
Banda . . .	32	16	26.0	5	5	6.3	1
Bulandshahr . . .	41	18	22.9	2	4	6.5	1
Bijnor . . .	31	26	43.7	3	1	2	7	11.8	2
Hapur . . .	48	50	54.3	4	1	5	17	18.5	4
Etawah . . .	63	78	64.5	9	3	2	28	23.2	11
Lucknow . . .	485	545	58.6	8	..	21	99	10.9	25
Rampur . . .	154	8	2.7	6	6	2.0	1
				For w/e 19-11-55										
Bulandshahr . . .	41	9	11.4
Banda . . .	32	13	21.2	2	..	1	6	9.8	1
Bijnor . . .	31	23	38.7	3	1	3	9	15.1	3
Etawah . . .	63	58	48.0	4	..	9	24	19.9	4
Rampur . . .	154
Sambhal . . .	64	54	44.0	14	..	10	25	20.4	10
				For w/e 26-11-55										
Bulandshahr . . .	41	21	26.7	1	1	1.3	..
Amroha . . .	60	73	63.4	1	3	15	29	25.2	11
Banda . . .	32
Ballia . . .	34	14	21.5	3	6	9.2	2
Etawah . . .	63	68	56.3	7	4	2	24	19.9	7
Bijnor . . .	31	25	42.0	1	4	11	18.5	..
Rampur . . .	154	7	2.4	1	3	1.0	..
Maunath Bhanjan . . .	37	37	52.0	..	1	..	3	4	14	19.7	4
Madhya Bharat				For w/e 18-9-56 (Revised)										
Mandsaur . . .	41	2	2.5	1	..	1	3	3.8	1
				For w/e 25-8-56 (Revised)										
Indore . . .	368	125	17.7	9	1	8	5	..	82	11.6	59

REMARKS

The figures of births and deaths shown in this statement for week ending the 6th October, 1956 relate to 220 towns with an estimated population of 30,658 thousands. The total number of towns is 318 and their population is 41,584 thousands. Thus 69% of the total number of towns representing 74% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 18,640 and 6,758 representing birth and death rates of 31.6 and 11.5 per thousand of population respectively.

(a) *States (Parts A and C).*—The data here relate to 178 towns with an estimated population of 24,651 thousands. Information about Assam Bihar Madhya Pradesh and Orissa could not be included. The total number of towns is 253 and their population is 33,500 thousands. Thus 70% of the total number of towns representing 74% of the total population is covered. The number of births

and deaths recorded in these towns were 16,361 and 5,923 representing birth rates and death rates of 34.5 and 12.5 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 42 towns with an estimated population of 6,007 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 65% of the total number of towns representing 74% of the total population is covered. The number of births and deaths recorded in these towns were 2,279 and 835 representing birth and death rates of 19.7 and 7.2 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/c 6-10-1956		Corresponding w/c last year		Corresponding mean during the previous 5-year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer . . .	19.2	8.7	†	†	39.0	17.0
Andhra . . .	31.3	15.2	41.0	16.6	†	†
Bombay . . .	35.7	12.8	37.9	14.3	36.9	15.9
Delhi . . .	39.7	8.7	44.5	10.1	46.9	9.8
Madras . . .	31.5	12.9	39.3	16.4	†	†
Punjab (I) . .	45.5	9.4	41.1	8.2	42.3	10.0
Uttar Pradesh .	38.4	15.1	45.1	14.9	39.7	17.4
West Bengal . .	19.4	7.8	26.7	9.8	24.3	11.7
India* . . .	34.5	12.5	38.2	13.6	37.5	16.3

*6 Part 'A' States and 2 Part 'C' States.

† Figures not available.

NEW DELHI-2 (INDIA) ;
The 29th October, 1956. }

K. MITRA,
for Registrar General, India.